6/7/1

DIALOG(R) File 351: Derwent WPI

(c) 2005 Thomson Derwent. All rts. reserv.

011373864

WPI Acc No: 1997-351771/ 199733

Preparation of series of traditional Chinese medicines for curing cancer of the liver

Patent Assignee: YU Y (YUYY-I)

Inventor: YU Y

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No . Kind Date Applicat No Kind Date Week CN 1108554 A 19950920 CN 94110126 A 19940318 199733 B

Priority Applications (No Type Date): CN 94110126 A 19940318

Abstract (Basic): CN 1108554 A

A series of Chinese medicine for curing liver cancer is divided into three type respectively for curing early, intermediate and late liver cancers. The first medicine is prepared by using 22 Chinese medicines of bupleurum root, white peony root, burweed tuber, zedoary, green tangerine orange peel, aucklandia root, poria, immature bitter orange, Chinese angelica root, fresh-water turtle shell, pangolin scales, fresh oyster shell, oriental wormwood, curcuma root, European verbena, lysimachia, red sage root, sago cycas leaf, barbat skullcap, olden landia, nutgrass flatsedge rhizome and tangerine peel. The weight ratio of the above-mentioned materials is (using g as unit): 15:15:15:15:15:15:15:15:15:15:50:25:50:50:15:50:50: 15:30:30:30:30:12:12.

ADVANTAGE - The composition not only can prevent the toxic side-effect from chemotherapy, but also has the advantages of strengthening the body resistance and restoring normal function.

Derwent Class: B04

International Patent Class (Main): A61K-035/78

6/7/1

DIALOG(R)File 351:Derwent WPI

(c) 2005 Thomson Derwent. All rts. reserv.

011373864

WPI Acc No: 1997-351771/ 199733

Preparation of series of traditional Chinese medicines for curing cancer of the liver

Patent Assignee: YU Y (YUYY-I)

Inventor: YU Y

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No Kind Date Applicat No Kind Date Week
CN 1108554 A 19950920 CN 94110126 A 19940318 199733 B

Priority Applications (No Type Date): CN 94110126 A 19940318

Abstract (Basic): CN 1108554 A

A series of Chinese medicine for curing liver cancer is divided into three type respectively for curing early, intermediate and late liver cancers. The first medicine is prepared by using 22 Chinese medicines of bupleurum root, white peony root, burweed tuber, zedoary, green tangerine orange peel, aucklandia root, poria, immature bitter orange, Chinese angelica root, fresh-water turtle shell, pangolin scales, fresh oyster shell, oriental wormwood, curcuma root, European verbena, lysimachia, red sage root, sago cycas leaf, barbat skullcap, olden landia, nutgrass flatsedge rhizome and tangerine peel. The weight ratio of the above-mentioned materials is (using g as unit): 15:15:15:15:15:15:15:15:15:15:15:50:25:50:50:15:50:50: 15:30:30:30:12:12.

ADVANTAGE - The composition not only can prevent the toxic side-effect from chemotherapy, but also has the advantages of strengthening the body resistance and restoring normal function.

Derwent Class: B04

International Patent Class (Main): A61K-035/78



[12] 发明专利申请公开说明书

- [21]申请号 94110126.6

|43|公开日 1995年9月20日

[51]Int.Cl6

A61K 35/78

[22]申號日 94.3.18

[71]申请人 于永波

地址 136001 古林省四平市第二卫生院

[73]发明人 于永兹

[74]专列代理机构 四平市专利事务所 代理人 唐 永

说明书页数:

附图页数:

[54]龙明名章 一种治疗肝癌的系列中药及配制方法 [57]美丽

(BJ)第 1456 号

- 1、一种治疗肝癌的系列中药,其特征在于:

- c、晚期治疗肝癌中药由紫胡、白芍、三棱、莪术、青皮、木香、茯苓、枳实、当归、鳖甲、川山甲、生牡蛎、茵陈、郁金、马鞭草、金钱草、半枝莲、白花蛇舌草、虎杖、水蛭、猪秧秧、敷酱草二十二味中药配制。

它们的重量配比以克为单位为:15:15:15:15:

15: 15: 15: 15: 50: 25: 50: 50: 15: 50: 50: 30:

30:30:3:30:30.

2、一种治疗肝癌的系列中药的配制方法, 其特征在于通过选药(1)、清洗(2)、烘干(3)、磨碎(4)、过筛(5)、高压灭菌(6)、混合搅拌(7)、分拣(8)、包装或制丸(9)来完成。

一种治疗肝癌的系列中药及配制方法

本发明涉及一种治疗癌症的系列中药及其配制方法。 "肝癌"病症,人称是不治之症,是危及人民生命 的恶性疾病。对该病的治疗大都采用西医化疗。此疗法 虽能杀死大量增生的癌细胞,同时也杀死了正常细胞和 幼稚细胞。这样就使元本损伤,破坏了病人机体的免疫 力,降低了抗病力,而且停药后易于复发,再化疗缓解 难等缺点。

本发明的目的是要提供一种能够固本培元,治疗肝 癌早、中、晚期的系列中药及其配制方法。

本发明治疗早、中、晚期肝癌系列中药分别以如下 配方制成:

本发明的系列中药采用了相同工艺,不同配方配制 而成。在制作该药时,通过选药、清洗、烘干、磨碎、 过筛、高压灭菌、混合搅拌、分拣、包装或制丸来完成。 该药在制作时,还要求包装室、储藏室均应无菌、无潮 湿。

本发明以中医中药来代替西医化疗, 它具有可以避免由于化疗引起的毒副作用给病人带来的痛苦, 又具有

固本培元, 调理气血, 延长肝癌病患者生存期等优点。 结合附图说明实施例:

图1为一种治疗肝癌系列中药配制工艺流程图。

从图中得知该系列中药在制作时通过过按配方选药 1、清洗2、烘干3、磨碎4、过筛5、高压灭菌6、充分搅 拌7、按比例分拣8、包装9来完成。此药以每包5克制剂, 每20包为一袋。该药在服用时,按病情不同阶段分别服 用早、中、晚期中药。服用时,每日三次,早、中、晚 各服一包,白开水送服,七周为一个疗程,连服四个疗程。

说明书附图

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER:

IMAGES ARE BEST ÁVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.